

# System Cleaners Asortiman



PROFESSIONAL CLEANING SOLUTIONS



# Asortiman proizvoda



PROFESSIONAL CLEANING SOLUTIONS

WATER PRESSURE <10 bar		LOW PRESSURE 7 BAR	
FOAMER	SATELLITE		MAIN STATION
F1	S1	S2	L7
			


LOW PRESSURE 15-40 BAR											
BOOSTER SYSTEM			PUMP STATION	SATELLITE STATION			MAIN STATION		CHEMICAL PUMP STATION		MOBILE
BS SINGLE PUMP	BS MULTIPUMP	RBS MULTIPUMP	PS	S1	S2	S4	MS1 SINGLE PHASE	MS THREE PHASE	CP	KP/KPV	VOYAGER
											

# Sateliti




PROFESSIONAL CLEANING SOLUTIONS


**S1**



**S2**



**S4**



# S1 – Satelit



PROFESSIONAL CLEANING SOLUTIONS

**S1 F (3-6 bar – bez zraka)**


**S1 F (3-8 bar)**

**S1 F (10-40 bar)**

**S1 PF (3-40 bar)**

**Funkcija:**

Ispiranje-pjena-dezinfekcija (ovisno o modelu)



# S2 – Satelit

**SYSTEM  
CLEANERS®**

PROFESSIONAL CLEANING SOLUTIONS

**S2 F (3-8 bar – no air)**

**S2 Fmix (3-8 bar)**

**S2 F (10-40 bar)**

**S2 Fmix (10-40 bar)**

**S2 F D (10-40 bar)**


**S2 PF**

**S2 PF + PF**

**S2 PF + PD**

**Funkcija:**

Ispiranje-pjena-dezinfekcija (ovisno o modelu)



[G5 Products](#)

# S4 – Satelit



PROFESSIONAL CLEANING SOLUTIONS


**S4 (3-8 bar) F/FD/FF**

**S4 /15-40 bar) F/FD/FF/PF....**

Može se koristiti s bilo kojom kombinacijom 3 proizvoda (koncentrirani ili pred razrijeđeni)

## **Funkcija:**

Ispiranje-pjena-dezinfekcija (ovisno o modelu)




# Tlačna stanica & Glavna stanica G5



PROFESSIONAL CLEANING SOLUTIONS

PS5 & PS7



MS5 & MS7



# MS5/7 – Glavna stanica



PROFESSIONAL CLEANING SOLUTIONS

## MS 5 do 5 korisnika

5.5 kW inverter motor

Protok 7-150 l/min pri 20 bar

## MS 7 do 7 korisnika

7.5 kW inverter motor


Protok 7-210 l/min pri 20 bar

## Funkcija:

Podizanje tlaka vode

Šalje vodu s povišenim tlakom do satelita

Ispiranje, pjenjenje i dezinfekcija



# PS – Pump Station



PROFESSIONAL CLEANING SOLUTIONS

## PS5

Do 5 korisnika

5.5 kW inverter motor

Protok 7-150 l/min pri 20 bar

## PS7


Do 7 korisnika

7.5 kW inverter motor

Protok 7-210 l/min pri 20 bar

## Funkcija:

Šalje vodu s povišenim tlakom do satelita



# Voyager – Mobilna jedinica



PROFESSIONAL CLEANING SOLUTIONS

## **Voyager 1 & 1K, 1 korisnik**

1.1 kW motor (jednofazni)

Protok: 7-30 l/min pri 10 bar

## **Voyager 2 & 2K, 1 korisnik**

2.2 kW inverter motor

Protok 7-30 l/min pri 20 bar

## **Voyager 4 & 4K, 1 korisnik**

4 kW inverter motor

Mjesto za dva kanistra

Protok: 7-60 l/min pri 25 bar

## **Funkcija:**

Ispiranje, pjenjenje, i dezinfekcija

1K, 2K & 4K s ugrađenim kompresorom za zrak



# Buster stanice



PROFESSIONAL CLEANING SOLUTIONS

ENERGY  
**IE5**  
EFFICIENCY



BS Jedna crpka



BS Multipump crpka

# BS Jedna crpka



PROFESSIONAL CLEANING SOLUTIONS



ENERGY  
**IE5**  
EFFICIENCY

## Opis

- Dizanje tlaka vode
- Jednostavan i higijenski dizajn
- Proizvedeno od visoko kvalitetnih materijala
- Frekvencijski kontrolirana crpka sa soft startom i stopom
- Ugrađena zaštita od rada na suho
- IE5 motor

## Varijante

- BS1 – 1 korisnik
- BS3 – do 3 korisnika
- BS5 – do 5 korisnika
- BS7 – do 7 korisnika
- BS10 – do 10 korisnika

# BS Jedna crpka




PROFESSIONAL CLEANING SOLUTIONS

<b>MODEL</b>	<b>BS1</b>	<b>BS3</b>	<b>BS5</b>	<b>BS7</b>	<b>BS10</b>
Pump type	CRNE 3-9	CRNE 3-9	CRNE 5-14	CRNE 10-9	CRNE 15-9
Motor type	IE5	IE5	IE5	IE5	IE5
Frequency drive	Integrated in pump motor				
Number of users	1	Up to 3	Up to 5	Up to 7	Up to 10
Motor power	2.2 kW	4.0 kW	6.0 kW	7.5 kW	11 kW

# BS Multi crpke



PROFESSIONAL CLEANING SOLUTIONS



## Opis

- Dizanje tlaka vode
- Jednostavan i higijenski dizajn
- Proizvedeno od visoko kvalitetnih materijala
- Frekvencijski kontrolirana crpka sa soft startom i stopom
- Ugrađena zaštita od rada na suho

## Varijante

- BS15 – do 15 korisnika (IE5)
- BS20 – do 20 korisnika (IE5)
- BS30 – do 30 korisnika (IE3)
- BS40 – do 40 korisnika (IE3)

# BS Multi Pump



PROFESSIONAL CLEANING SOLUTIONS

<b>MODEL</b>	<b>BS15</b>	<b>BS20</b>	<b>BS30</b>	<b>BS40</b>
Pump type	2xCRNE 10-9	2xCRNE 15-9	2xCRNE 20-8	3xCRNE 20-8
Motor type	IE5	IE5	IE3	IE3
Frequency drive	Integrated in pump motor			
Number of users	Up to 15	Up to 20	Up to 30	Up to 40
Motor power	2 x 7.5 kW	2 x 11 kW	2 x 15 kW	3 x 15 kW